ELSEVIER

Brain Research 889 (2001) 364–366

BRAIN RESEARCH

www.elsevier.com/locate/bres

Author Index

Abrahamson, E.E. and Moore, R.Y.
The posterior hypothalamic area: chemoarchitecture and afferent connections (889) 1
Allsopp, T.E., see Macleod, M.R. (889) 308
Amenta, F., see Tayebati, S.K. (889) 256
Antunes-Rodrigues, J., see Chriguer, R.S. (889) 239
Aoki, K., see Ogihara, K. (889) 89

Bachus, R., see Knirsch, U. (889) 234
Bazner, J., see Xu, X. (889) 274
Beyer, C., see Ivanova, T. (889) 264
Bianchi, R., see Rodella, L. (889) 229
Bien, A., see Engelmann, R. (889) 251
Block, F., see Dihné, M. (889) 165
Booth, A.M., see Tai, C. (889) 38
Borlongan, C., see Chiang, Y.-H. (889) 200
Bryan Jr., R.M., see Golding, E.M. (889) 98
Bui, V., see Kadekaro, M. (889) 84
Burnham, W.M., see Edwards, H.E. (889) 260
Byrnes, M.L., Thickbroom, G.W., Phillips, B.A. and Mastaglia, F.L.
Long-term changes in motor cortical organisation after recovery from subcortical stroke (889) 278

Chan, P.H., see Fujimura, M. (889) 208
Chiang, Y.-H., Morales, M., Zhou, F.C., Borlongan, C., Hoffer, B.J. and Wang, Y.
Fetal intra-nigral ventral mesencephalon and kidney tissue bridge transplantation restores the nigrostriatal dopamine pathway in hemi-parkinsonian rats (889) 200
Chriguer, R.S., Rocha, M.J.A., Antunes-Rodrigues, J. and Franci, C.R.
Hypothalamic atrial natriuretic peptide and secretion of oxytocin (889) 239
Copin, J.-C., see Fujimura, M. (889) 208
Czechmańska, T., see Zablocka, B. (889) 105

Daudu, P.A., see Roy, A. (889) 131
de Groat, W.C., see Tai, C. (889) 38
Dieterich, D.C., see Engelmann, R. (889) 251
Dihné, M. and Block, F.
Focal ischemia induces transient expression of IL-6 in the substantia nigra pars reticulata (889) 165
Domańska-Janik, K., see Zablocka, B. (889) 105
Drieu, K., see Yao, Z.-x. (889) 181

Edwards, H.E., Mo, V., Burnham, W.M. and MacLusky, N.J.
Gonadectomy unmasks an inhibitory effect of progesterone on amygdala kindling in male rats (889) 260
Engelmann, R., Dieterich, D.C., Bien, A. and Kreutz, M.R.
A different retinal glia response to optic nerve injury/lipopolysaccharide administration in hooded and albino rats (889) 251

Féron, F., see Lu, J. (889) 344
Franci, C.R., see Chriguer, R.S. (889) 239
Frye, C.A.
Estradiol tends to improve inhibitory avoidance performance in adrenalectomized male rats and reduces pyknotic cells in the dentate gyrus of adrenalectomized male and female rats (889) 358
Fujimura, M., Morita-Fujimura, Y., Copin, J.-C., Yoshimoto, T. and Chan, P.H.
Reduction of copper,zinc-superoxide dismutase in knockout mice does not affect edema or infarction volumes and the early release of mitochondrial cytochrome *c* after permanent focal cerebral ischemia (889) 208
Fujita, N., see Tanaka, K.-i. (889) 225
Furukawa, K.-i., see Uwai, K. (889) 174

Gajkowska, B., see Zablocka, B. (889) 105
Golding, E.M., Steenberg, M.L., Johnson, T.D. and Bryan Jr., R.M.
Nitric oxide in the potassium-induced response of the rat middle cerebral artery: a possible permissive role (889) 98
Gosztonyi, G., see Knirsch, U. (889) 234

Hamada, S., see Maxishima, M. (889) 270
Hamilton, J., see Xu, X. (889) 274
Hankins, M.W., Jones, S.R., Jenkins, A. and Morland, A.B.
Diurnal daylight phase affects the temporal properties of both the b-wave and d-wave of the human electroretinogram (889) 339
Hartlage-Rübsamen, M. and Schliebs, R.
Rat basal forebrain cholinergic lesion affects neuronal nitric oxide synthase activity in hippocampal and neocortical target regions (889) 155
Hirai, A., see Tatsuno, I. (889) 138
Ho, S.M., see Lu, J. (889) 344
Hoffer, B.J., see Chiang, Y.-H. (889) 200

Ikarashi, Y., see Takahashi, A. (889) 191
Ilyinsky, O.B., see Schwark, H.D. (889) 295
Irnaten, M., see Wang, J. (889) 78
Ishimaru, H., see Takahashi, A. (889) 191
Isobe, Y., Torii, T. and Nishino, H.
Melatonin inhibits Arg–vasopressin release via MT_2 receptor in the suprachiasmatic nucleus-slice culture of rats (889) 214
Ivanova, T., Karolczak, M. and Beyer, C.
Estrogen stimulates the mitogen-activated protein kinase pathway in midbrain astroglia (889) 264

Jenkins, A., see Hankins, M.W. (889) 339
Johnson, T.D., see Golding, E.M. (889) 98
Jones, S.R., see Hankins, M.W. (889) 339

Kadekaro, M., Terrell, M.L., Bui, V. and Summy-Long, J.Y.
Central interactions between angiotensin II and PGD_2 in the regulation of vasopressin and oxytocin secretion in dehydrated rats (889) 84
Karolczak, M., see Ivanova, T. (889) 264
Kaufman, G.D., see Shinder, M.E. (889) 288
Kawano, T., see Murakami, N. (889) 220
Kelly, J.S., see Macleod, M.R. (889) 308
Kishi, E., see Takahashi, A. (889) 191
Knirsch, U., Sturm, S., Reuter, A., Bachus, R., Gosztonyi, G., Voelkel, H. and Ludolph, A.C.
Calcineurin A and calbindin immunoreactivity in the spinal cord of G93A superoxide dismutase transgenic mice (889) 234
Krause, J.E., see Migita, K. (889) 23
Kreutz, M.R., see Engelmann, R. (889) 251

Lahiri, S., see Roy, A. (889) 131
Lanzi, R., see Rodella, L. (889) 229
Loewy, A.D., see Migita, K. (889) 23
Lu, J., Féron, F., Ho, S.M., Mackay-Sim, A. and Waite, P.M.E.

0006-8993/01/$ – see front matter © 2001 Elsevier Science B.V. All rights reserved.
PII: S0006-8993(00)03313-8

ELSEVIER

Brain Research 889 (2001) 364–366

BRAIN RESEARCH

www.elsevier.com/locate/bres

Author Index

Abrahamson, E.E. and Moore, R.Y.
The posterior hypothalamic area: chemoarchitecture and afferent connections (889) 1
Allsopp, T.E., see Macleod, M.R. (889) 308
Amenta, F., see Tayebati, S.K. (889) 256
Antunes-Rodrigues, J., see Chriguer, R.S. (889) 239
Aoki, K., see Ogihara, K. (889) 89

Bachus, R., see Knirsch, U. (889) 234
Bazner, J., see Xu, X. (889) 274
Beyer, C., see Ivanova, T. (889) 264
Bianchi, R., see Rodella, L. (889) 229
Bien, A., see Engelmann, R. (889) 251
Block, F., see Dihné, M. (889) 165
Booth, A.M., see Tai, C. (889) 38
Borlongan, C., see Chiang, Y.-H. (889) 200
Bryan Jr., R.M., see Golding, E.M. (889) 98
Bui, V., see Kadekaro, M. (889) 84
Burnham, W.M., see Edwards, H.E. (889) 260
Byrnes, M.L., Thickbroom, G.W., Phillips, B.A. and Mastaglia, F.L.
Long-term changes in motor cortical organisation after recovery from subcortical stroke (889) 278

Chan, P.H., see Fujimura, M. (889) 208
Chiang, Y.-H., Morales, M., Zhou, F.C., Borlongan, C., Hoffer, B.J. and Wang, Y.
Fetal intra-nigral ventral mesencephalon and kidney tissue bridge transplantation restores the nigrostriatal dopamine pathway in hemi-parkinsonian rats (889) 200
Chriguer, R.S., Rocha, M.J.A., Antunes-Rodrigues, J. and Franci, C.R.
Hypothalamic atrial natriuretic peptide and secretion of oxytocin (889) 239
Copin, J.-C., see Fujimura, M. (889) 208
Czechmańska, T., see Zablocka, B. (889) 105

Daudu, P.A., see Roy, A. (889) 131
de Groat, W.C., see Tai, C. (889) 38
Dieterich, D.C., see Engelmann, R. (889) 251
Dihné, M. and Block, F.
Focal ischemia induces transient expression of IL-6 in the substantia nigra pars reticulata (889) 165
Domańska-Janik, K., see Zablocka, B. (889) 105
Drieu, K., see Yao, Z.-x. (889) 181

Edwards, H.E., Mo, V., Burnham, W.M. and MacLusky, N.J.
Gonadectomy unmasks an inhibitory effect of progesterone on amygdala kindling in male rats (889) 260
Engelmann, R., Dieterich, D.C., Bien, A. and Kreutz, M.R.
A different retinal glia response to optic nerve injury/lipopolysaccharide administration in hooded and albino rats (889) 251

Féron, F., see Lu, J. (889) 344
Franci, C.R., see Chriguer, R.S. (889) 239
Frye, C.A.
Estradiol tends to improve inhibitory avoidance performance in adrenalectomized male rats and reduces pyknotic cells in the dentate gyrus of adrenalectomized male and female rats (889) 358
Fujimura, M., Morita-Fujimura, Y., Copin, J.-C., Yoshimoto, T. and Chan, P.H.
Reduction of copper,zinc-superoxide dismutase in knockout mice does not affect edema or infarction volumes and the early release of mitochondrial cytochrome *c* after permanent focal cerebral ischemia (889) 208
Fujita, N., see Tanaka, K.-i. (889) 225
Furukawa, K.-i., see Uwai, K. (889) 174

Gajkowska, B., see Zablocka, B. (889) 105
Golding, E.M., Steenberg, M.L., Johnson, T.D. and Bryan Jr., R.M.
Nitric oxide in the potassium-induced response of the rat middle cerebral artery: a possible permissive role (889) 98
Gosztonyi, G., see Knirsch, U. (889) 234

Hamada, S., see Maxishima, M. (889) 270
Hamilton, J., see Xu, X. (889) 274
Hankins, M.W., Jones, S.R., Jenkins, A. and Morland, A.B.
Diurnal daylight phase affects the temporal properties of both the b-wave and d-wave of the human electroretinogram (889) 339
Hartlage-Rübsamen, M. and Schliebs, R.
Rat basal forebrain cholinergic lesion affects neuronal nitric oxide synthase activity in hippocampal and neocortical target regions (889) 155
Hirai, A., see Tatsuno, I. (889) 138
Ho, S.M., see Lu, J. (889) 344
Hoffer, B.J., see Chiang, Y.-H. (889) 200

Ikarashi, Y., see Takahashi, A. (889) 191
Ilyinsky, O.B., see Schwark, H.D. (889) 295
Irnaten, M., see Wang, J. (889) 78
Ishimaru, H., see Takahashi, A. (889) 191
Isobe, Y., Torii, T. and Nishino, H.
Melatonin inhibits Arg–vasopressin release via MT_2 receptor in the suprachiasmatic nucleus-slice culture of rats (889) 214
Ivanova, T., Karolczak, M. and Beyer, C.
Estrogen stimulates the mitogen-activated protein kinase pathway in midbrain astroglia (889) 264

Jenkins, A., see Hankins, M.W. (889) 339
Johnson, T.D., see Golding, E.M. (889) 98
Jones, S.R., see Hankins, M.W. (889) 339

Kadekaro, M., Terrell, M.L., Bui, V. and Summy-Long, J.Y.
Central interactions between angiotensin II and PGD_2 in the regulation of vasopressin and oxytocin secretion in dehydrated rats (889) 84
Karolczak, M., see Ivanova, T. (889) 264
Kaufman, G.D., see Shinder, M.E. (889) 288
Kawano, T., see Murakami, N. (889) 220
Kelly, J.S., see Macleod, M.R. (889) 308
Kishi, E., see Takahashi, A. (889) 191
Knirsch, U., Sturm, S., Reuter, A., Bachus, R., Gosztonyi, G., Voelkel, H. and Ludolph, A.C.
Calcineurin A and calbindin immunoreactivity in the spinal cord of G93A superoxide dismutase transgenic mice (889) 234
Krause, J.E., see Migita, K. (889) 23
Kreutz, M.R., see Engelmann, R. (889) 251

Lahiri, S., see Roy, A. (889) 131
Lanzi, R., see Rodella, L. (889) 229
Loewy, A.D., see Migita, K. (889) 23
Lu, J., Féron, F., Ho, S.M., Mackay-Sim, A. and Waite, P.M.E.

0006-8993/01/$ – see front matter © 2001 Elsevier Science B.V. All rights reserved.
PII: S0006-8993(00)03313-8

Transplantation of nasal olfactory tissue promotes partial recovery in paraplegic adult rats (889) 344
Lu, Y. and Westlund, K.N.
Effects of baclofen on colon inflammation-induced Fos, CGRP and SP expression in spinal cord and brainstem (889) 118
Ludolph, A.C., see Knirsch, U. (889) 234

Mackay-Sim, A., see Lu, J. (889) 344
Macleod, M.R., Allsopp, T.E., McLuckie, J. and Kelly, J.S.
Serum withdrawal causes apoptosis in SHSY 5Y cells (889) 308
MacLusky, N.J., see Edwards, H.E. (889) 260
Maeshima, T., see Maxishima, M. (889) 270
Maruyama, Y., see Takahashi, A. (889) 191
Mastaglia, F.L., see Byrnes, M.L. (889) 278
Maxishima, M., Shiga, T., Shutoh, F., Hamada, S., Maeshima, T. and Okado, N.
Serotonin 2A receptor-like immunoreactivity is detected in astrocytes but not in oligodendrocytes of rat spinal cord (889) 270
McLuckie, J., see Macleod, M.R. (889) 308
Mendelowitz, D., see Wang, J. (889) 78
Migita, K., Loewy, A.D., Ramabhadran, T.V., Krause, J.E. and Waters, S.M.
Immunohistochemical localization of the neuropeptide Y Y1 receptor in rat central nervous system (889) 23
Miljkovic, Dj., Samardzic, T., Mostarica Stojkovic, M., Stosic-Grujicic, S., Popadic, D. and Trajkovic, V.
Leflunomide inhibits activation of inducible nitric oxide synthase in rat astrocytes (889) 331
Mintz, M., see Neufeld, M. (889) 112
Mo, V., see Edwards, H.E. (889) 260
Mokashi, A., see Roy, A. (889) 131
Moore, R.Y., see Abrahamson, E.E. (889) 1
Morales, M., see Chiang, Y.-H. (889) 200
Morita-Fujimura, Y., see Fujimura, M. (889) 208
Morland, A.B., see Hankins, M.W. (889) 339
Moro, O., see Tatsuno, I. (889) 138
Mostarica Stojkovic, M., see Miljkovic, Dj. (889) 331
Murakami, N., Kawano, T., Nakahara, K., Nasu, T. and Shiota, K.
Effect of melatonin on circadian rhythm, locomotor activity and body temperature in the intact house sparrow, Japanese quail and owl (889) 220

Nag, S. and Tang, F.
The effect of age on the response of the rat brains to continuous β-amyloid infusion (889) 303
Nakahara, K., see Murakami, N. (889) 220
Nasu, T., see Murakami, N. (889) 220
Neufeld, M. and Mintz, M.
Involvement of the amygdala in classical conditioning of eyeblink response in the rat (889) 112
Nishino, H., see Isobe, Y. (889) 214

Ogawa, N., see Tanaka, K.-i. (889) 225
Ogihara, K., Aoki, K., Zubkov, A.Y. and Zhang, J.H.
Oxyhemoglobin produces apoptosis and necrosis in cultured smooth muscle cells (889) 89
Ohashi, K., see Uwai, K. (889) 174
Okado, N., see Maxishima, M. (889) 270
Okuyama, S., see Uwai, K. (889) 174
Omura, T., see Uwai, K. (889) 174
Oshima, Y., see Uwai, K. (889) 174

Papadopoulos, V., see Yao, Z.-x. (889) 181
Pardridge, W.M., see Zhang, Y. (889) 49
Perachio, A.A., see Shinder, M.E. (889) 288
Phillips, B.A., see Byrnes, M.L. (889) 278
Popadic, D., see Miljkovic, Dj. (889) 331
Purcell, I.M., see Shinder, M.E. (889) 288

Ramabhadran, T.V., see Migita, K. (889) 23
Reuter, A., see Knirsch, U. (889) 234
Rezzani, R., see Rodella, L. (889) 229
Rink, E. and Wullimann, M.F.
The teleostean (zebrafish) dopaminergic system ascending to the subpallium (striatum) is located in the basal diencephalon (posterior tuberculum) (889) 316
Rocha, M.J.A., see Chriguer, R.S. (889) 239
Rodella, L., Rezzani, R., Lanzi, R. and Bianchi, R.
Chronic exposure to aluminium decreases NADPH-diaphorase positive neurons in the rat cerebral cortex (889) 229
Romeo, R.D. and Sisk, C.L.
Pubertal and seasonal plasticity in the amygdala (889) 71
Roppolo, J.R., see Tai, C. (889) 38
Roy, A., Mokashi, A., Rozanov, C., Daudu, P.A. and Lahiri, S.
Reduced glutathione, dithiothreitol and cytochrome P-450 inhibitors do not influence hypoxic chemosensory responses in the rat carotid body (889) 131
Rozanov, C., see Roy, A. (889) 131
Russell, T., see Xu, X. (889) 274

Saeki, N., see Tatsuno, I. (889) 138
Sáez-Valero, J. and Small, D.H.
Altered glycosylation of cerebrospinal fluid butyrylcholinesterase in alzheimer's disease (889) 247
Saito, Y., see Tatsuno, I. (889) 138
Samardzic, T., see Miljkovic, Dj. (889) 331
Schliebs, R., see Hartlage-Rübsamen, M. (889) 155
Schwark, H.D. and Ilyinsky, O.B.
Inflammatory pain reduces correlated activity in the dorsal column nuclei (889) 295
Scordella, S., see Tayebati, S.K. (889) 256
Shiga, T., see Maxishima, M. (889) 270
Shinder, M.E., Purcell, I.M., Kaufman, G.D. and Perachio, A.A.
Vestibular efferent neurons project to the flocculus (889) 288
Shiota, K., see Murakami, N. (889) 220
Shoyama, Y., see Yamaguchi, T. (889) 149
Shutoh, F., see Maxishima, M. (889) 270
Sisk, C.L., see Romeo, R.D. (889) 71
Small, D.H., see Sáez-Valero, J. (889) 247
Smith, J.C.E. and Whitton, P.S.
The regulation of NMDA-evoked dopamine release by nitric oxide in the frontal cortex and raphe nuclei of the freely moving rat (889) 57
Sperlágh, B., Zsilla, G. and Vizi, E.S.
K_{ATP} channel blockers selectively interact with A_1-adenosine receptor mediated modulation of acetylcholine release in the rat hippocampus (889) 63
Steenberg, M.L., see Golding, E.M. (889) 98
Stosic-Grujicic, S., see Miljkovic, Dj. (889) 331
Sturm, S., see Knirsch, U. (889) 234
Summy-Long, J.Y., see Kadekaro, M. (889) 84

Tai, C., Booth, A.M., de Groat, W.C. and Roppolo, J.R.
Colon and anal sphincter contractions evoked by microstimulation of the sacral spinal cord in cats (889) 38
Tajima, M., see Tatsuno, I. (889) 138
Takahashi, A., Kishi, E., Ishimaru, H., Ikarashi, Y. and Maruyama, Y.
Role of preoptic and anterior hypothalamic cholinergic input on water intake and body temperature (889) 191
Takaya, Y., see Uwai, K. (889) 174
Tanaka, K.-i., Fujita, N., Yoshioka, M. and Ogawa, N.
Immunosuppressive and non-immunosuppressive immunophilin ligands improve H_2O_2-induced cell damage by increasing glutathione levels in NG108-15 cells (889) 225
Tanaka, T., see Tatsuno, I. (889) 138
Tang, F., see Nag, S. (889) 303
Tatsuno, I., Uchida, D., Tanaka, T., Saeki, N., Hirai, A., Saito, Y., Moro, O. and Tajima, M.
Maxadilan specifically interacts with PAC1 receptor, which is a dominant form of PACAP/VIP family receptors in cultured rat cortical neurons (889) 138
Tayebati, S.K., Vitali, D., Scordella, S. and Amenta, F.
Muscarinic cholinergic receptors subtypes in rat cerebellar cortex: light microscope autoradiography of age-related changes (889) 256
Terrell, M.L., see Kadekaro, M. (889) 84
Thickbroom, G.W., see Byrnes, M.L. (889) 278
Torii, T., see Isobe, Y. (889) 214
Trajkovic, V., see Miljkovic, Dj. (889) 331

Uchida, D., see Tatsuno, I. (889) 138
Uwai, K., Ohashi, K., Takaya, Y., Oshima, Y., Furukawa, K.-i., Yamagata, K., Omura, T. and Okuyama, S.
Virol A, a toxic *trans*-polyacetylenic alcohol of *Cicuta virosa*, selectively inhibits the GABA-induced Cl^- current in acutely dissociated rat hippocampal CA1 neurons (889) 174

Vitali, D., see Tayebati, S.K. (889) 256
Vizi, E.S., see Sperlágh, B. (889) 63
Voelkel, H., see Knirsch, U. (889) 234

Waite, P.M.E., see Lu, J. (889) 344
Wang, J., Irnaten, M. and Mendelowitz, D.
Characteristics of spontaneous and evoked GABAergic synaptic currents in cardiac vagal neurons in rats (889) 78
Wang, Y., see Chiang, Y.-H. (889) 200
Watanabe, S., see Yamaguchi, T. (889) 149
Waters, S.M., see Migita, K. (889) 23
Westlund, K.N., see Lu, Y. (889) 118
Whitton, P.S., see Smith, J.C.E. (889) 57
Wild, J.M., see Williams, M.N. (889) 243
Williams, M.N. and Wild, J.M.
Trigeminally innervated iron-containing structures in the beak of homing pigeons, and other birds (889) 243
Wullimann, M.F., see Rink, E. (889) 316

Xu, X., Russell, T., Bazner, J. and Hamilton, J.
NMDA receptor antagonist AP5 and nitric oxide synthase inhibitor 7-NI affect different phases of learning and memory in goldfish (889) 274

Yamagata, K., see Uwai, K. (889) 174
Yamaguchi, T., Shoyama, Y., Watanabe, S. and Yamamoto, T.
Behavioral suppression induced by cannabinoids is due to activation of the arachidonic acid cascade in rats (889) 149
Yamamoto, T., see Yamaguchi, T. (889) 149
Yao, Z.-x., Drieu, K. and Papadopoulos, V.
The *Ginkgo biloba* extract EGb 761 rescues the PC12 neuronal cells from β-amyloid-induced cell death by inhibiting the formation of β-amyloid-derived diffusible neurotoxic ligands (889) 181
Yoshimoto, T., see Fujimura, M. (889) 208
Yoshioka, M., see Tanaka, K.-i. (889) 225

Zablocka, B., Gajkowska, B., Czechmańska, T. and Domańska-Janik, K.
Isoforms of protein kinase C in postsynaptic densities after cerebral ischemia (889) 105
Zhang, J.H., see Ogihara, K. (889) 89
Zhang, Y. and Pardridge, W.M.
Conjugation of brain-derived neurotrophic factor to a blood–brain barrier drug targeting system enables neuroprotection in regional brain ischemia following intravenous injection of the neurotrophin (889) 49
Zhou, F.C., see Chiang, Y.-H. (889) 200
Zsilla, G., see Sperlágh, B. (889) 63
Zubkov, A.Y., see Ogihara, K. (889) 89